

# INDEX MAPS.

**T. 14 N. R. 9 W. 2<sup>nd</sup> Mer.**

	270	269	269	269	268	268						
271	6	290	5	285	4	281	3	278	2	275	1	268
	290	289	288	285	281	277	274					
271	7	289	8	284	9	281	10		11	274	12	268
	289	288	284	281	277	274						
271	18	288	17	284	16	280	15	277	14	274	13	267
	288	287	284	280	277	273						
270	19	287	20	283	21	280	22	276	23	273	24	267
	287	286	283	279	276	273						
270	30	286	29	282	28	279	27	276	26	272	25	267
	286	285	282	279	275	272						
270	31	285	32	282	33	278	34	275	35	272	36	266
	266	266	266	265	265	265						

**T. 15 N. R. 9 W. 2<sup>nd</sup> Mer.**

	300	300	300	299	299	298						
				301		300						
302	6	323	5	318	4	314	3	310	2	306	1	298
	323	322		317		314		310		306		
302	7	322	8	317	9	313	10	309	11	305	12	298
	322	321		317		313		309		305		
302	18	321	17	316	16	313	15	309	14	305	13	297
	321	320		316		312		308		304		
302	19	320	20	316	21	312	22	308	23	304	24	297
	320	319		315		312		308		304		
301	30	319	29	315	28	311	27	307	26	303	25	297
	319	318		315		311		307		303		
301	31	318	32	314	33	311	34	307	35	303	36	296
	296	296		295		295		295		295		

The figures on the lines refer to the page.

Township N. 14. North of Range N. 9 West of the 2nd Mer. 265

South Boundary N. 6° 50'

West On the South Boundary of Sec. 36. T. 14. N. R. 9. W.

39.00 To a Rock 10 miles wide, Sec. 36.

40.00 Set a 7/8" copper post from which

Eng. 12 in dist. bears S 3 E. 3 miles north; or

Do. 15 " " " N 10 W. 52 " "

80.00 Set a post for the cor. of sec. 35 T. 14. N. R. 9. W.

Heik. 12 in dist. bears N 9 W. 52 miles north; or

W. Cap. 18 " " " S 37 E. 150 " "

Land a little rolling and good for farming;  
Timber, White, Oak, & Eng. &c.

West On the South Boundary of Sec. 35. T. 13. N. R. 9. W.

40.00 Set a 7/8" copper post from which

W. Oak. 14 in dist. bears N 38 E. 49 miles north; or

Do. 12 " " " S 51 E. 24 " "

44.93 Set a post in the Left Bank of the Natabash for the cor.  
of Grav. Sec. 35. from which

Eng. common. 14 in dist. bears N 13 W. 30 miles north; or,  
Northwood 30 " " " S 15 W. 45 " "

West On the South Boundary of Sec. 35. T. 14. N. R. 9. W.

40.00 Set a 7/8" copper post

55.00 Set a post in the Right Bank of Natabash River for  
cor. of Grav. Sec. 35 from which

Heik. 12 in dist. bears N 36 W. 17 miles north; or

Do. 10 " " " S 44 W. 17 " "

80.00 Set a post for the cor. of Sec. 34 & 35 from which

Maple. 8 in dist. bears N 24 W. 16 miles north; or

W. Cap. 18. " " " S 35 E. 41 " "

Land rich river bottom which overflows.

West On the South Boundary of Sec. 34. T. 14. N. R. 9. W.

40.00 Set a 7/8" copper post from which

Eng. 11 in dist. bears S 35 E. 20 miles north; or

Do. 18 " " " N 9 E. 11 " "

80.00 Set a post for the cor. of Sec. 33 & 34 from which

	Hecker 20 in dia. beam. N 51 E 45 links each, on Do. 20 " " " S 38 N 36 " " Most of the mts. conform; not end;
West	On the South Boundary of Sec. 33. T. 14 N. R. 9 W.
30.00	To a corner 70 links min, corner S.
40.00	Set a new post from which Elm. 12 in dia. beam. S 77 W. 9 links each, on Hackberry 12 " " " S 20 W. 51 " "
80.00	Set a post for the cor. of sec. 32 & 33 from which Sugar. 12 in dia. beam. S 46 E 10 links each, on BT Walnut 12 " " " S 22 W. 47 " " Sand & other forest good soil; Timber Oak, Sugar, Poplar, Walnut, &c.
West	On the South Boundary of Sec. 33. T. 14 N. R. 9 W.
37.50	To a Brook 3 links min, corner N.
40.00	Set a new post from which Sugar. 12 in dia. beam. N 42 W. 19 links each, on Oak 30 " " " S 30 W. 61 " "
65.00	To a Brook 8 links min, corner N.
80.00	Set a post for the cor. of sec. 31 & 32 from which Sugar. 14 in dia. beam. N 35 E 15 links each, on Do. 18 " " " S 58 W. 42 " " Land rolling and good for farming Timber, Oak, Hecker Sugar, Poplar, &c.
West	On the South Boundary of Sec. 31. T. 14 N. R. 9 W.
40.00	Set a new post from which Oak 12 in dia. beam. S 57 W. 23 links each, on Do. 12 " " " N 23 E. 26 " "
70.54	To the cor. of T. 13 N. R. 9 & 10 W.
East Boundary N. 60 10'	
North	On the East Boundary of Sec. 36. T. 14 N. R. 9 W.
40.00	Set a new post from which

267

T. N. 14. N. R. N. 9 W. Q. 14. (M. S. 14.)

<p>40.00</p> <p>80.00</p>	<p>Engm. 12 in dist. beam. S54 N. 18 W. 18 miles north; or</p> <p>Do. 10 " " " N50 N. 28 " "</p> <p>To a Brook 3 miles north, Leona Co.</p> <p>Set a post for the cor. of sec. 25 &amp; 36 from which</p> <p>N. 14 in dist. beam. N33 E. 12 miles north; or</p> <p>N. 10. 18 " " " West of " "</p> <p>Land here and 1/2 acre for farming; Timber Ad,</p> <p>Engm, Walnut, Cym, Oak &amp;c.</p>
<p>North</p> <p>40.00</p> <p>12.00</p> <p>80.00</p>	<p>On the East Boundary of sec. 25 T. 14 N. R. 9 W.</p> <p>Set a post from which</p> <p>Neutr. 10 in dist. beam. N71 N. 39 W. 18 miles north; or</p> <p>Beck. 18 " " " N76 E. 52 " "</p> <p>To a Brook 3 miles north, Leona Co.</p> <p>Set a post for the cor. of sec. 24 &amp; 25 from which</p> <p>Neutr. 10 in dist. beam. N59 E. 12 miles north; or</p> <p>— " " " N86 N. 22 " "</p> <p>Land same.</p>
<p>North</p> <p>40.00</p> <p>80.00</p>	<p>On the East Boundary of sec. 24 T. 14 N. R. 9 W.</p> <p>Set a post from which</p> <p>N. 14 in dist. beam. S85 N. 15 W. 15 miles north; or</p> <p>Engm. 12 " " " N26 N. 14 " "</p> <p>Set a post for the cor. of sec. 13 &amp; 24 from which</p> <p>Engm. 9 in dist. beam. N76 E. 38 miles north; or</p> <p>Do. 14 " " " N75 N. 5 " "</p> <p>Land here and good for farming Timber same.</p>
<p>North</p> <p>40.00</p> <p>80.00</p>	<p>On the East Boundary of sec. 13 T. 14 N. R. 9 W.</p> <p>Set a post from which</p> <p>Engm. 12 in dist. beam. N77 E. 19 miles north; or</p> <p>Beck. 14 " " " N36 N. 31 " "</p> <p>Set a post for the cor. of sec. 12 &amp; 13 from which</p> <p>Engm. 10 in dist. beam. S83 N. 29 W. 12 miles north; or</p> <p>Do. 10 " " " S89 E. 45 " "</p> <p>Land rolling and fair rate for farming; Timber same</p>



North 40.00	On the East Boundary of sec. 12 T. 14 N. R. 9 T. Set a p. ex post from white, Sycm. 24 in dia. trees N 59 E. 11 mts dist; on to Walnut 27 " " S 77 W. 25 " "
80.00	Set a post for the cor. of sec. 18 T. 12 from white, Sycm. 8 in dia. trees. S 30 E. 17 mts dist; on Walnut 10 " " N 31 W. 10 " " Sycm. South p. same. North p. rather broken. Timber some Rich soil;
North 40.00	On the East Boundary of sec. 1 T. 14 N. R. 9 T. Set a p. ex post from white, W. Ash. 6 in dia. trees. N 55 W. 19 mts dist; on Beck 13 4 " " S 38 E. 30 " "
80.00	N. W. Oak 12 in dia. Stand for the cor. of S. 14 T. 15 N. R. N <sup>o</sup> 8 T. 9 T. Land very broken;
North Boundary T. 6. 50'	
West 40.00	On the South Boundary of sec. 36 T. 15 N. R. 9 T. Set a p. ex post from white, W. Oak. 24 in dia. trees. N 49 W. 49 mts dist; on Do. 12 " " East 40 " "
40.50	Exit a prairie.
80.00	Set a post for the cor. of sec. 35 T. 36 (from white) Not bearing true; Land out and good for farming; East p. set into land;
West 40.00	On the South Boundary of sec. 35 T. 15 N. R. 9 T. Set a p. ex post from white Oak. 15 in dia. trees. N 57 W. 12 mts dist; on Elm. 12 " " N 72 E. 21 " "
46.10	To a log, 24 in dia. Stand for the cor. of sec. Sec. 35 T. 15 N. R. 9 T. on the Left Rk. of Matash R.
61.50	Set a post on the Right Bank of the Matash R.

P69

T. N. 14 N. R. N. 9 W. Q. 1. (Mer. Sub.)

	for the cor. of fract. Sec. 35 from which
	Eng. 12 in dist. from N 26 W. 11 links dist; or,
	Eng. 15 " " " S 43 E 19 " "
80.00	Set a post for the cor. of sec. 34 & 35 from which,
	Hickory 12 in dist. from N 78 E. 58 links dist; or,
	Maple 6 " " " N 65 W. 57 " "

West	On the South Boundary of sec. 34. T. 15 N. R. 9 W.
40.00	Set a post from which,
	W Oak 18 in dist. from N 8 E. 50 links dist; or,
	W Oak 20 " " " S 22 W. 42 " "
80.00	Set a post for the cor. of sec. 33 & 34 from which,
	Eng. 14 in dist. from N 39 E. 51 links dist; or,
	Do. 15 " " " S 17 W. 66 " "
	Land here and good for farming Timber Oak, Sugar,
	Ac. N. 65 W.

West	On the South Boundary of sec. 33. T. 15 N. R. 9 W.
10.00	To a point 30 links mid; corner S.E.
40.00	Set a post from which,
	W Oak. 18 in dist. from N 40 E. 46 links dist; or,
	Poplar. 36 " " " S 59 W. 28 " "
80.00	Set a post for the cor. of sec. 32 & 33 from which,
	W Oak. 24 in dist. from N 79 E. 14 links dist; or,
	Sugar. 10 " " " S 69 W. 17 " "
	Land good for farming; Timber Sugar, Walnut,
	Ac.

West	On the South Boundary of sec. 32. T. 15 N. R. 9 W.
37.00	To a point 10 links mid, corner N.E.
40.00	Set a post from which,
	W Oak. 24 in dist. from N 27 E. 19 links dist; or,
	Do. 8 " " " S 5 E. 13 " "
80.00	Set a post for the cor. of sec. 31 & 32 from which,
	Eng. 10 in dist. from S 42 W. 31 links dist; or,
	W Oak 40 " " " S 52 E. 45 " "
	Land here and good for farming; Timber Oak & Sugar.

West On the South Boundary of sec. 31. T. 14. N. R. 9 W.  
 40.00 Set a 7<sup>th</sup> outpost from which,  
 73 Oak. 20 in diam. trees N 84 E. 71 knots dist; 78  
 Hickory 6 " " " S 15 W. 31 " "  
 51.50 To a Brook. 10 knots mid; corner S. E.  
 The remainder of this line seems to be wanting  
 In the field notes there is the following note in Red ink:  
 "of this line 5, 40. 00 ft. 40."

West Boundary

North On the East Boundary of sec. 36. T. 14. N. R. 10 W.  
 22.50 To a Brook. 15 knots mid, corner S. E.  
 40.00 Set a 7<sup>th</sup> outpost from which,  
 Buckeye 8 in diam. trees S 27 E. 21 knots dist; 78  
 Beech 10 " " " N 65 W. 26 " "  
 80.00 Set a post for the cor. of sec. 25 & 36. from which,  
 71 Oak. 6 in diam. trees S 18 E. 33 knots dist; 78  
 73 Walnut. 20 " " " N 37 W. 22 " "  
 Laid a little rolling and good for farming;  
 Timber Beech, Sugar. & Walnut;

North On the East Boundary of sec. 25 T. 14. N. R. 10 W.  
 40.00 Set a 7<sup>th</sup> outpost from which,  
 Hickory 8 in diam. trees N 81 W. 54 knots dist; 78  
 Sycamore 26 " " " S 51 E. 63 " "  
 43.50 To a brook. 60 knots mid, corner S. E.  
 45.00 To a Prairie  
 80.00 Set a post for the cor. of sec. 24 & 25 from which,  
 No bearing trees; the prairie on the S. side;

North On the East Boundary of sec. 24. T. 14. N. R. 10 W.  
 12.00 Leave prairie.  
 40.00 Set a 7<sup>th</sup> outpost from which,  
 71 Oak 12 in diam. trees N 5 W. 41 knots dist; 78  
 Hickory 10 " " " S 5 W. 28 " "  
 80.00 Set a post for the cor. of sec. 13 & 24 from which,



271

T. N. 14. N. R. N. 9 7 2<sup>nd</sup> Mer. Sec. 1

Heiko 9 in dist. from S 54 E. 14 miles north; or  
 Wym. 12 " " " N 62 W. 24 " "  
 Land rolling and 2<sup>nd</sup> rate; Timber Oak &c.

North On the East Boundary of sec. 13. T. 14. N. R. 10 W.  
 40,00 Set apart for the cor. of sec. 13 from which  
 Heiko 12 in dist. from S 14 W. 25 miles north; or  
 W. Oak. 10 " " " N 41 E. 75 " "  
 80,00 Set apart for the cor. of sec. 12 & 13 from which  
 W. Oak. 15 in dist. from S 23 E. 15 miles north; or  
 L. 10 " " " S 63 W. 5 " "  
 Good 2<sup>nd</sup> rate; Timber Oak, &c.

North On the East Boundary of sec. 12. T. 14. N. R. 10 W.  
 22.50 To plat. 20 miles north, corner N.E.  
 40,00 Set apart for the cor. of sec. 12 from which  
 Sugar. 12 in dist. from S 30 W. 36 miles north; or  
 L. 15 " " " S 29 E. 7 " "  
 80,00 Set apart for the cor. of sec. 11 & 12 from which  
 Heiko 10 in dist. from S 65 E. 11 miles north; or  
 Sugar. 10 " " " S 10 W. 32 " "  
 Good good for farming; Timber Sugar, Walnut,

North On the East Boundary of sec. 1. T. 14. N. R. 10 W.  
 40,00 Set apart for the cor. of sec. 1 from which  
 Elm. 12 in dist. from S 73 E. 16 miles north; or  
 Heiko 12 " " " S 48 W. 48 " "  
 80,00 Intersect the E. & W. line or N. Boundary 245 miles East  
 of the S. & N. line and set apart for the cor. of sec.  
 1 to 31 & 36. T. 14. N. R. 10 W. from which  
 Elm. 12 in dist. from S 29 W. 7 miles north; or  
 L. 12 " " " N 43 E. 45 " "  
 Land good 2<sup>nd</sup> rate; Timber Oak, Elm. &c.

Surveyed by  
 William Harris.  
 Dep't Surveyor.



Subdivisions		Jan. 28. 1816.
North	Between Sec. 35 & 36. T. 14. N. R. 9 W.	
40.00	Set a 7/8 cu post from white,	
	N Oak. 12 in dia. trees. N 68 E. 35 links each; 2,	
	N Walnut 10 " " " N 33 77. 150 " "	
75.00	Enter prairie.	
80.00	Set a post for the cor. of sec. 25, 26, 35 & 36. from white,	
	Naked 6 in dia. trees. N 83 E. 68 links each; 2,	
	N Oak 30 " " " S 71 77 359. "	
	Land barrens good for farming;	
East	On the line between Sec. 25 & 36. T. 14. N. R. 9 W.	
22.00	Leave prairie,	N 65 50
40.00	Set a temp. 7/8 cu post	
53.00	To a Rock 10 links N. W. corner N. W.	
79.59	Enter sec. the East (Corner N. W.) 80 links North of the post cor. of Sec. 25 & 36.	
	Land N. 7/8 mile; 2 <sup>nd</sup> 1/2 <del>link</del> : a little Western & good for farming;	
West	On the line between Sec. 25 & 36. T. 14. N. R. 9 W.	
39.79	Set the temp. 7/8 cu post at the ar ditch on the line from white,	
	N Walnut. 14 in dia. trees. N 35 E. 9 links each; 2	
	under Coffea onto 90 " " " S 61 77 25 " "	
79.59	To the post cor. of sec. 25, 26, 35 & 36.	
North	Between Sec. 25 & 26. T. 14. N. R. 9 W. N. 65 10'	
25.00	Leave prairie.	
40.00	Set a 7/8 cu post from white,	
	N Oak 20 in dia. trees. N 84 E. 20 links each; 2,	
	N Oak 12 " " " S 44 77 24 " "	
80.00	Set a post for the cor. of sec. 23, 24, 25 & 26 from white,	
	Sugar. 12 in dia. trees. S 21 77. 43 links each; 2,	
	N Oak 30 " " " N 24 E. 35 " "	
	Land level and good for farming. Timber Oak & Sugar.	

J. N<sup>o</sup> 14. N R. N<sup>o</sup> 977 D<sup>ma</sup> Mar. 27<sup>3</sup>  
 Jul<sup>4</sup>

East Oak Random line between Sec 24 & 25. T14. R9 W. B<sub>8</sub> ii.  
4000 Set a trap in support N. 60 50'  
7963 Intersect the East Boundary 100 links North of the  
Cor. of sec. 24 & 25.  
Second Pt. rate; Timber Sugar, Walnut &c.

West On the true line between Sec 24 & 25 of T4. N19. 7 W.  
39.81 Set the true N by a post cut the ar. dist on the true line  
from which, Sugar. 12 in dia? bears N 34 E. 38 1/2 mts  
under a L.O. 18 1/2 " " N 86 W. 15 " "  
79.63 To the post cor. of sec. 23, 24, 25 & 26.

South Oak Run in bottom Jul 23 & 24 114. 1119 W.  
40.00 Set a trap<sup>s</sup> in exposure N. 6° 10'  
80.05 Intercept the E. & W. line 47 miles West of the junction of  
Jul 23, 24, 25 & 26.  
Land level and good for farming; Timber Sugar, Oak,

North. On the line between Sec 23 & 24 & 14 & 15 R 9 N  
40.02 Set the trap in a suspect at the car ditch on the line  
from which, Sec. 14 in. dist. from N 67 E 48 W ditch,  
and a "B" Natural. of a " " " N 82 W 86 " "  
80.05 To the post cor. of Sec. 13, 14, 23, & 24.

East	On a random line between Sec 13 & 24 T14 N17.9 W.
8.00	Top Rock 6 miles midw. corner NW. V. 6-20'
40.00	Set a trapline in Dupont
80.85	Intersect the East Boundary 59 miles North of the post city of Sec. 24 & 13. Laid a little rolling and set rate for farming Timber, Walnut, Hickory, &c.

West Cape New Min between Sta. 13 & 24 S 14 N R 9 W  
40.42 Set the temp. 7 1/2 in a post at the ar. dist. on the New Min  
from which, N 37 W about 8 in old trees. S 37 N 24 W the road.  
made a New R 5 " " " N 48 E 20 " "

80.85	To the post cn of lvs 13, 14, 23 & 24
North	Return lvs 13 & 14 T. 14 N R. 9 W
32.50	To a Brook 10 miles n. from T. N <sup>o</sup> 10'
40.00	Set a post from which Beck. 24 in dist. from N 55 E 42 the dist. to New 14 " " " S 35 W. 15 " "
62.50	To a Brook 6 miles n. from T. N <sup>o</sup>
80.00	Set a post for the cn. of lvs 11, 12, 13 & 14 from which a Brook 26 in dist. from S 9 E 5 the dist. to Sugar 12 " " " N 32 E 30 " "
	Land hilly and 2 <sup>nd</sup> rate; Timber Beck, Oak, Sugar &c.
East	On a Random line between lvs 12 & 13 T. 14 N R. 9 W
40.00	Set a timber post
81.00	Intersect the East Boundary at the cn. of lvs 12 & 13. Land West is very hilly; Land E. is good for farming
West	On the true line between lvs 12 & 13 T. 14 N R. 9 W
40.50	Set a post at the ar. dist. on the true line from which a Brook 14 in dist. from N 29 W. 20 the dist. to Poplar 30 " " " S 20 E 14 " "
81.00	To the post cn of lvs 11, 12, 13 & 14
North	Return lvs 11 & 12 T. 14 N R. 9 W. n 6 <sup>th</sup> 00
40.00	Set a post from which Oak 15 in dist. from N 5 E 65 the dist. to Log. 15 " " " S 44 W. 110 " "
80.00	Set a post for the cn. of lvs 1, 2, 11 & 12 from which Cor. on prairie No bearing true; Land not of 3 <sup>rd</sup> rate;
East	On a Random line between lvs 1 & 12 T. 14 N R. 9 W
30.00	Enter the woods



275

T. N. 14. R. N. 9. T. 2nd Mer. Sec. 1

40.00 Set a trap 7 ft. east  
80.55 Into cut the East Borm. 31 links North of the post  
cor. of sec. 1 & 12  
Land East & West. rate for farming; Timber Walnut &  
Hackberry. &c.

West On the line between Sec. 1 & 12 T. 14. N. R. 9. T.  
40.27 Set the trap 7 ft. east at the ar. cut on the line  
from which, Blue Ash 10 in diam. trees 33 E. 28 W. each  
was a Hackberry 6 " " " 140 E. 10 " "  
80.55 Into post cor. of sec. 1, 2, 11, & 12

North Return Sec. 1 & 12 T. 14. N. R. 9. T.  
40.00 Set a 7 ft. east in prairie  
No bearing trees.  
49.40 Into cut the E. 11 line 50 links West of the post cor. of  
Sec. 35 & 36. T. 15. N. R. 9. T. and set a post for the " "  
" 1 & 2 from which a / No bearing  
Sec. 1 prairie Dry & Good for farming;

Apr. 28. 1816. T. 10

North Return Sec. 34 & 35 T. 14. N. R. 9. T.  
40.00 Set a 7 ft. east. From which  
H. & cut 8 in diam. trees N 55 E. 18 W. each; Pa,  
Hickory 7 " " " 34 N. 26 " "  
80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which,  
Hackberry 12 in diam. trees. 34 E. 11 links each; Pa,  
Do. 12 " " " 116 W. 24 " "  
Sec. 1 with bottom which is a prairie Timber Hack-  
berry Walnut & Buckeye. So cut &c.

East Return Sec. 26 & 35, T. 14. N. R. 9. T.  
13.85. Set a post on the Right Bank of the Watauga River for  
the cor. of Grad. Sec. 26 & 35 from which,  
Buckeye 12 in diam. trees. N 44 W. 17 W. each; Pa,  
Blue Ash 12 " " " 27 E. 18 " "



West Return Dec 26 1835 T 14 N R 9 N.  
 40.00 Set a 7<sup>th</sup> support from which  
 40.00 Set a 7<sup>th</sup> support from which  
 Mulberry 15 in dist. from N 64 E 18 links north; on  
 Head 10 " " S 57 E 33 " "  
 54.07 Set a post on the Left Bank of the Matash R. for the  
 cor. of Sec 26 1835 from which  
 Hackberry 24 in dist. from S 34 E 22 links north; on  
 Do. 18 " " N 46 E 24 " "  
 Land good and good for farming; Timber N Oak,

North Return Dec 26 1827 T 14 N R 9 N  
 29.24 Set a 9 in dist. from in Right Bank of the  
 Matash R. for the cor. of Sec 26 1827  
 South Return Dec 26 1827 T 14 N R 9 N.  
 24.50 Set a post on the Left Bank of the Matash River  
 for the cor. of Sec 26 1827 from which  
 Maple 4 in dist. from S 29 E 22 links north; on  
 Hackberry 3 " " N 23 E 20 " "

West Return Dec 23 1826 T 14 N R 9 N T. 6° 50'  
 40.00 Set a 7<sup>th</sup> support from which  
 Elm 12 in dist. from S 46 E 14 links north; on  
 Do. 14 " " S 84 W 19 " "  
 80.00 Set a post for the cor. of Sec 22, 23, 26 1827 from which  
 Buckeye 6 in dist. from N 68 E 25 links north; on  
 Do. 12 " " S 22 E 34 " "  
 Land not so good; the other three 3/4 overgrown with  
 brush

Jan 29 1816.  
 North Return Dec 22 1823. T 14 N R 9 N T. 6° 10'  
 40.00 Set a 7<sup>th</sup> support from which  
 Elm 13 in dist. from N 65 W 15 links north; on  
 Walnut 30 " " S 82 E 33 " "  
 80.00 Set a post for the cor. of Sec 14, 15, 22 1823 from which

277

T. No 14 N. R. No 977 2<sup>nd</sup> Men. Sec.

Walnut 12 in dia. beam. N 6 E. 11 links out; to  
 Buckeye 8 " " " N 67 W 30 " "  
 Sand River bottom whit. overflows.

East Return Sec 14 & 23 T. 14. N. R. 977. T. 6° 50'  
 40.00 Set a 7<sup>th</sup> support from which  
 Walnut 6 in dia. beam. N 79 E. 5 links out; to  
 L. 12 " " " S 48 W 32 " "  
 80.00 Set a post for the cor. of sec. 13, 14, 23 & 24 from which  
 Buck. 12 in dia. beam. S 40 E. 24 links out; to  
 Sugar. 8 " " " S 68 W. 2 " "  
 Sand R. & white overflows. The 2<sup>nd</sup> good land for  
 farming; Timber: Buck, & Sugar, &c.

West Return Sec 14 & 15 T. 14. N. R. 977.  
 40.00 Set a 7<sup>th</sup> support from which, T. 6° 10'  
 Walnut 30 in dia. beam. N 47 W. 21 links out; to  
 Buckeye 8 " " " N 30 E. 62 " "  
 63.64 Set a post on the Left Bank of the Matash. R. for the cor.  
 of frac. Sec. 14 & 15 from which  
 Walnut 12 in dia. beam. N 57 W. 6 links out; to  
 Sugar 4 " " " S 41 W. 12 " "  
 Sand bottom whit. overflows.

West Return Sec 11 & 14 T. 14. N. R. 977. T. 6° 10'  
 40.00 Set a 7<sup>th</sup> support from which  
 Maple 14 in dia. beam. N 107 W. 16 links out; to  
 L. 10 " " " S 56 E. 28 " "  
 73.424 Set a post on the Left Bank of the Matash. River for the  
 cor. of frac. Sec. 11 & 14 from which  
 Red Bud 6 in dia. beam. N 7 E. 20 links out; to  
 Box Elm 3 " " " N 27 W. 3 " "  
 Sand or overflowed bottom.

West Return Sec 2 & 11. T. 14. N. R. 977.  
 5.00 Enter roads

40.00 Set a post from which  
Black 30 in diam. beam. 116 E. 97 limbs each, to  
No. 27 " " " 1122 N. 116 E. "  
68.69 Set a post in the Left BR of the Matash R. for the co.  
offroad. Set 2711. from which are  
Black 12 in diam. beam. 64 N 19 limbs each, to  
Sugg. 18 " " " 86 E 11 " "  
Said wood Timber Oak & Hickory, of a middling  
quality

Jan'y 30. 1816. No. 6470

North  
40.00 Between Sta 253. T. 12. N. R. 9 W.  
Set a 7" capst from white,  
Heackberry 10 in dia: here. N 80 E. 15 fms out,  
for 100. 6 " " " N 62 W 33 " "  
50.00 In place of 24 fms out, lower E.  
81.20 Intersect the W. Boundary 21 fms West of the post.  
cr of Sta. 34 N 35 E. 15 N. R. 9 W. and set a post for  
" " " 253 from white.  
Elm. 30 in dia: here. N 41 E. 21 fms out, for  
Maple. 24 " " " N 9 W. 49 " "  
Said iron bottom, which overflows:

South Big Horn River bottom Sw. 33 & 34 T. 14 N. 9 W.  
 40.00 Set a trap 1 1/4 cu. feet.  
 62.00 Caught a Swamp.  
 70.00 Passed po.  
 79.25 Intercepted the South River N. 75 miles East of the post.  
 cr. of Sw. 33 & 34  
 Good land and good; Timber Oak, Sugar, Hawthorn

North On the time line between Lat. 33 & 34 L. 14. N 79 W.  
39.62 Got a post temp. at the air duct on the time line from.  
which a 93 March 14 in dist. from N 79 W. 15 the air  
and w N 24. 124 " " " " S 79 E 41 " "  
79.25 In the post in. of ear 27, 28 33 & 34



I. N. 14. N. R. N. 977 2nd (Mm. Ind. 279

West Return Jan 27. 1834 I. 14. N. R. 977.  
 27.50 To a Road.  
 32.50 Passen ch.  
 40.00 Set a 1/4 suppost from whitaker  
 Oak. 20 in dia. from N 66 E 31 N. 1/4 mch. 20  
 N Oak. 24 " " " S 46 W. 81 " "  
 80.00 A Sugar. 20 in dia. at end of the cor of sec 27, 28,  
 33 & 34.  
 Some East 1/2 covered bottom; West 1/2 hard Oak,  
 some, thirty timbers of smalling good soil;

North Return Jan 27. 1828 I. 14. N. R. 977.  
 40.00 Set a 1/4 suppost from whitaker  
 N Oak 15 in dia. from N 52 E 18 N. 1/4 mch. 20,  
 Sugar. 14 " " " S 8 W. 57 " "  
 80.00 Set a post for the cor. of sec. 21, 22, 27 & 28 from whitaker  
 a Blue Oak. 15 in dia. from N 34 E 15 N. 1/4 mch. 20.  
 Sugar. 9 " " " N 68 W. 22 " "  
 Some most of the mile R. side bottom. for a track  
 10 ch. Each side of the Riv.

East Return Jan. 22 & 27. I. 14. N. R. 977 p. 6. 50  
 40.00 Set a 1/4 suppost from whitaker  
 N Oak 14 in dia. from N 80 E. 5 N. 1/4 mch. 20  
 L. 14 " " " N 41 W. 112 " "

61.70 Set a post on the Right Bank of the Wataush River  
 for the cor. of Grad. Jan. 22 & 27 from whitaker  
 N Oak. 14 in dia. from N 55 W. 5 N. 1/4 mch. 20  
 N Oak 10 " " " S 39 E. 19 " "

West Return Jan. 22 & 27 I. 14. N. R. 977.  
 7.73 Set a post on the Left Rk. of the Wataush R. for the  
 cor. of Grad. Jan. 22 & 27 from whitaker  
 Sugar. 12 in dia. from N 45 E. 19 N. 1/4 mch. 20  
 Maple. 20 " " " S 7 W. 35 " "

Jan. 29. 1816.



North 40.00	Between Sec. 21 & 22 T. 14. N. R. 9 W.
	Set a 7 <sup>th</sup> cu post from which, W Oak 20 in dia. beam. S 49 N. 17 links north; or, Do. 14 " " " S 81 E. 13 " "
80.00	Set a post for the cor. of sec. 15, 16, 21 & 22 from which, W Walnut. 18 in dia. beam. S 46 N. 80 links north; or, Height 12 " " " S 63 E. 70 " "
	Land here could good for farming; Timber Oak, Height Sugar, Walnut, Elm, &c. 2 <sup>nd</sup> rate;
East 40.00	Between Sec. 15 & 22 T. 14. N. R. 9 W. 7 <sup>th</sup> to 5 <sup>th</sup>
	Set a 7 <sup>th</sup> cu post from which, W Oak. 12 in dia. beam. S 73 E. 56 links north; or, Do. 24 " " " S 40 N. 146 " "
51.45.	Set a post on the Right BR of the Wabash R. for the cor. of frack. Sec. 15 & 22 from which, W Oak. 18 in dia. beam. S 5 N. 57 links north; or, Do. 14 " " " S 2 N. 59 " "
	Land here 2 <sup>nd</sup> rate; Good for farming; Timber Oak, Height, Sugar, &c.
West 18.38	Between Sec. 15 & 22
	Set a post on the Left BR of the Wabash River for the cor. of frack. Sec. 15 & 22 from which, Cottonwood 40 in dia. beam. N 36 E. 9 links north; or, Hackberry 5 " " " S 23 E. 16 " "
North 40.00	Between Lat. 15 & 16 T. 14. N. R. 9 W. 7 <sup>th</sup> to 10 <sup>th</sup>
	Set a 7 <sup>th</sup> cu post from which, Oak. 9 in dia. beam. S 48 E. 47 links north; or, Do. 6 " " " N 37 E. 9 " "
53.50	To a post 12 links north, corner N. E.
80.00	Set a post for the cor. of sec. 9, 10, 15 & 16 from which, Oak. 10 in dia. beam. N 78 E. 19 links north; or, Height 9 " " " S 9 N. 97 " "
	Land here rich, and good for farming Timber Walnut, Ash, Buckeye &c.

J. No 14. N. R. No 977. 2<sup>nd</sup> (Min. Ind. 1281)

East Return Sur. 10875 J. 14 N. R. 977. v. 50  
 29.50 To a Bush 12 miles wide, corner N. E.  
 40.00 Set a 7<sup>th</sup> support from which,  
 N. Oak. 18 in air: trees N 36 E. 71 miles dist; to  
 Oak 36 " " S 47 N. 13 " "  
 73.70 Set a post on the Right Bank of the N. atack R for the  
 cr. of Grad. Sur. 10875 from which,  
 Blackberry 14 in air: trees North 27 W. dist: to  
 Box Elder. 10 " " S 10 W. 46 " "  
 Sand not timber down; good land for farming

North Return Sur. 9810 J. 14 N. R. 977. v. 60  
 40.00 Set a 7<sup>th</sup> support from which on  
 Elm. 8 in air: trees S 13 E. 10 miles dist; to  
 Do. 11 " " S 26 W. 18 " "  
 80.00 Set a post for the cr. of sur. 34, 9810 from which,  
 Buckeye 14 in air: trees S 3 E. 17 miles dist; to  
 Lyrn. 12 " " S 12 W. 43 " "  
 Sand hard and bet. rats; timber Walnut. Oak, Sugar,  
 Buckeye. Hickory & Blackberry. &c.

East Return Sur. 3410 J. 14 N. R. 977.  
 40.00 Set a 7<sup>th</sup> support from which,  
 Sugar. 24 in air: trees S 7 E. 49 W. dist; to  
 Do. 24 " " S 13 W. 46 " "  
 80.00 Set a post for the cr. of sur. 2, 3, 10, & 11. from which,  
 Sugar. 19 in air: trees S 56 E. 29 miles dist; to  
 N. Bush. 8 " " S 15 W. 54 " "  
 Sand wet & same; East & overflowed bottom

North Return Sur. 344 J. 14 N. R. 977.  
 40.00 Set a 7<sup>th</sup> support from which,  
 Sugar. 15 in air: trees S 40 E. 19 W. dist; to  
 Do. 18 " " S 81 W. 21 " "  
 74.00 To a Bush 30 miles wide, corner E.  
 81.00 Into lat. the N. Point 37 miles West of the post on of

T. N. 14. N. R. N. 9. 11. 2<sup>nd</sup>. Mer. And.

Dec. 33 & 34 715 N. R. 9. 11. and set apart for the con. of  
 " 34. from which  
 Sugar. 18 in mid. bars. 914 E. 65 lbs. each; 75  
 No. 14 " " " 858 N. 100 " "  
 Sand & Lumps.

Feb. 7. 1816.

North Return Dec. 32 & 33 T. 14. N. R. 9. 11.  
 40.00 Set a 7<sup>th</sup> for post from which a  
 Sugar. 12 in mid. bars. 815 N. 22 lbs. each; 75  
 Maple. 24 " " " 817 N. 67 " "  
 45.50 To a bank. 70 links mid., Leona E.  
 80.00 Set apart for the con. of Dec. 28, 29, 32 & 33 from which  
 Buck 10 in mid. bars. 89 E. 25 links each; 75  
 N. Oak 10 " " " 862 E. 15 " "  
 Sand & Broken & 2<sup>nd</sup> rate; Timber Buck. 82.

Feb. 8. 1816.

East On a line from between Dec. 28 & 33. T. 14. N. R. 9. 11.  
 40.00 Set a 7<sup>th</sup> for post.  
 81.50 Intro cut the N. R. 3 line 67 links North of the post on of  
 Dec. 27, 28, 33 & 34  
 Sand hilly & 3<sup>rd</sup> rate;  
 West On the line between Dec. 28 & 33. T. 14. N. R. 9. 11.  
 40.75 Set the 7<sup>th</sup> for post at the ar. each on the line  
 from which, Poplar 36 in mid. bars. 822 N. 69 lbs. each  
 and a " " " 876 E. 31 " "  
 81.50 To the post on of Dec. 28, 29, 32 & 33.

North Return Dec. 28 & 29 T. 14. N. R. 9. 11. 6<sup>th</sup> 10<sup>th</sup>  
 33.50 To a Brook 10 links mid., Leona N. R.  
 40.00 Set a 7<sup>th</sup> for post from which  
 Sugar. 10 in mid. bars. 862 N. 29 links each; 75  
 No. 8 " " " 867 E. 44 " "  
 80.00 Set apart for the con. of Dec. 20, 21, 28 & 29 from which



T. N. 14. N. R. N. 9 N. 2<sup>nd</sup>. Mer. Lat. 283

N Oak. 14 in diam. trees N 21 E 44 lbs net; 20,  
Do. 12 " " " 80 N 29 " "  
Land hilly and good oak, timber Oak & Buck Sugar.

Feb 7. 8. 1816.

East Cap. N. and am line between Dec 21 & 28 T. 14. N. R. 9 N.  
40.00 Set a trap 1/2 in support  
80.57 Set the trap 1/2 in support at the ar arch on the line  
Dec. 21. 22. 28 & 29.  
Land a little hilly and 2<sup>nd</sup> rate; timber Oak & Hickory

West On the line between Dec 21 & 28 T. 14. N. R. 9 N.  
40.28 Set the trap 1/2 in support at the ar arch on the line  
from which, Hickory 12 in diam. trees N 24 E 8 lbs net;  
and a sym. 6 " " " 84 N. 17 " "  
80.57 Set the trap 1/2 in support at the ar arch on the line  
Dec. 20. 21. 28 & 29.

North Between Dec 20 & 21. T. 14. N. R. 9 N.  
40.00 Set a 1/2 in support from which,  
N Oak. 12 in diam. trees South 25 lbs net; 20,  
Sym. 12 " " " N 7 E 50 " "  
80.00 Set a post for the ar of Dec 16. 17. 20 & 21 from which,  
N Oak. 12 in diam. trees N 24 N. 21 lbs net; 20,  
Do. 24 " " " 27 E 62 " "  
Land had a good for farming; timber Sugar, Hickory

East Cap. N. and am line between Dec 16 & 21. T. 14. N. R. 9 N.  
40.00 Set a trap 1/2 in support N. 650'  
80.16 Set the trap 1/2 in support at the ar arch on the line  
Dec 15. 16. 21 & 22  
Land a little rolling and good for farming; timber  
Oak Hickory &c.

West Cap. N. and am line between Dec 16 & 21. T. 14. N. R. 9 N.  
40.08 Set the trap 1/2 in support at the ar arch on the line  
from which, Hickory 6 in diam. trees N 6 E 9 lbs net; 20,



80.16.	Sugar 8 in dia: beam. N 4 N 30 links east; 7 To the post ca of eas. 16. 17. 20 & 21.
North 40.00	Return eas. 16 & 17 T. 14. N. R. 9 N. Set a post from which Sassafras 6 in dia: beam. N 61 E. 8 links east; 7, W. Oak 30 " " " S 84 N. 52 " "
80.00	Set a post for the cor. of eas. 8. 9. 16 & 17 from which W Oak 12 in dia: beam. N 74 N. 29 links east; 7, W Beech. 20 " " " S 15 E. 21 " " " Land good for farming.
East 40.00 80.70	On all random line between Sec. 9. & 16. T. 14. N. R. 9 N. Set a temporary post N. 6° 10' Intersect the N 13 line 24 links South of the post ca of Eas. 9. 10. 15 & 16. Land good for farming; Timber Oak, Sugar & Mahoe
West 40.35 80.70	On the line between Sec. 9. & 16. T. 14. N. R. 9 N. Set the temporary post at the cor. each on the line from which Hunter 10 in dia: beam. S 77 N. 10 links east; under 10. 6 " " " S 82 E. 18 " " To the post ca. of eas. 8. 9. 16 & 17.
North 35.00 40.00 55.50 80.00	Return eas. 8 & 9 T. 14. N. R. 9 N. To a Brook. 10 links wide, corner N. E. Set a post from which Beech. 36 in dia: beam. N 32 E. 23 links east; 7, W Mahoe. 6 " " " S 22 N. 84 " " To a Brook. 15 links wide corner E. Set a post for the cor. of eas. 4. 5. 8 & 9 from which W Oak. 12 in dia: beam. S 72 N. 25 links east; 7, Do. 30 " " " S 64 E. 34 " " Land a little rolling and good for farming; Timber Beech, Sugar &c.

J. N. 14. N. R. N. 9. 7. 2. 1. (Mm. Ind. 285

East On the line between Sec 4 & 9 J. 14. N. R. 9. 7.  
40.00 Set a temporary suppost. N. 6° 10'  
80.30 Set out the N. 13 line 34 miles South of the post on of  
Sec 34. 9. 7. 1.  
Land R. rate Timber Walnut, Hackberry Sugar &c.

West On the line between Sec 4 & 9 J. 14. N. R. 9. 7.  
40.15 Set the temporary suppost at the ar arch in the line from  
whichever A Hickory 14 in diam. stands for the cor of 1/4.  
Sec.  
80.30 To the post on of sec. 4. 5. 8 & 9.

Feb. 7. 1816.  
North Between Sec 4 & 5 J. 14. N. R. 9. 7.  
40.00 N. Oak. 18 in diam. stands for the cor. of 1/4 sec.  
79.74 Set out the N. 13 line 64 miles West of the post on of sec  
32 & 33. J. 15 N. R. 9. 7. and set a post for the cor of sec  
4 & 5 from which  
Sugar. 10 in diam. bears. S. 1 E. 47 miles west; N.  
W. Oak. 20 " " " N. 74 W. 25 "  
Land well and good for farming; Timber Sugar &c.

Feb. 7. 1816. N. 6° 10'  
North Between Sec 31 & 32 J. 14. N. R. 9. 7.  
40.00 Set a temporary suppost from which  
Saw wood 9 in diam. bears. S. 21 E. 20 miles west; N.  
W. Oak. 7 " " " N. 24 W. 32 "  
46.50 To a Brook. 10 miles N. W., corner E.  
80.00 Set a post for the cor of sec. 29. 30 31 & 32 from which  
Sugar 8 in diam. bears. S. 67 E. 14 miles west; N.  
W. Oak. 14 " " " N. 75 W. 35 "  
Land broken & good soil; Timber Oak, Birch, Sugar,

West Between Sec 29 & 32 J. 14. N. R. 9. 7.  
40.00 Set a temporary suppost  
45.00 To a Brook 70 miles N. W., corner J. E.

80.60 Intersect the N 15 line 17 links, South of the post on of  
Dec. 29. 30 31 1832  
Land hilly and 2nd rate; Timber Beech, Sugar Oak,

East Open line between Dec 29 1830 T. 14. N.R. 972.  
40.30 Set the trip 1/4 in a post at the ar end on the line  
from white Walnut 10 in dist. line. S 47 E. 11 links  
and a Buckeye 8 4 4 7 N 55 W. 12 1/2  
80.60 To the post on of Dec 29. 30 31 1832

West Between Dec 30 1831 T. 14. N.R. 972 N. to 50  
40.00 Set a 1/4 in a post from white,  
Maple 10 in dist. line. N 3 E. 30 links, dist. to  
Do. 13 4 4 4 South 55 1/2  
62.50 To a Brook 8 links, near, corner. S. E.  
71.38 Intersect the West 900m N. 134 links, South of the post on of  
Dec 25 1836. T. 14. N.R. 1072 and set a post for the 1/4  
" 30 1831. from white,  
W Oak. 6 in dist. line. N 75 E. 11 links, dist. to  
Do. 12 1/2 4 4 4 S 35 W. 15 1/2  
Land rich and good for farming; middling level

North Between Dec 29 1830 T. 14. N.R. 972 N.  
13.00 To a Brook 100 links, near corner E.  
33.50 " " Brook 10 " " " NW  
40.00 Set a 1/4 in a post from white,  
Syc. 15 in dist. line. N 38 E. 30 links, dist. to  
W Oak. 15 " 4 4 4 S 88 W. 15 1/2  
80.00 Set a post for the on of Dec 19. 20 29 1830 from white,  
W Oak. 11 in dist. line. N 6 E. 5 links, dist. to  
W Oak. 30 " 4 4 4 S 36 E. 6 1/2  
Land 2nd rate; Timber Oak, S Maple.

East Open Random line between Dec 20 1829 T. 14. N.R. 972  
40.00 Set a trip 1/4 in a post  
81.20 Intersect the N 15 line 15 links, North of the post on of Dec



I. N<sup>o</sup> 14 N. R. N<sup>o</sup> 97 2<sup>nd</sup> Mn. Jan: 287

20.21.28729

Land broken Timber Oak, & Wheat.

West On the new line between Dec 20 1879. I. N<sup>o</sup> 14 N. R. 977.  
40.60 Set the temporary post at the ar ditch on the new line from which,  
N Oak 36 in diam: bears S 12 E. 120 yards west; 7,  
Do. 14 " " " N 28 W. 65 " "  
81.20 Set the post cor. of Dec 19 20 29 1880

West Return Dec 19 1880 I. N<sup>o</sup> 14 N. R. 977.  
10.00 Enter a prairie.  
40.00 Set a 1/4 section post in prairie  
Not bearing true;  
42.07 Enter at the West 1/4 B. M. of 81 miles South of the post cor.  
of Dec 24 1875 I. N<sup>o</sup> 14 N. R. 1077. and set a post for the  
cor of Dec 19 1880 in prairie.  
Not bearing true;  
Land a good rate prairie

North Return Dec 19 1880 I. N<sup>o</sup> 14 N. R. 977  
40.00 Set a 1/4 section post from which,  
N Oak 14 in diam: bears N 5 E. 14 yards west; 0,  
N Oak 12 " " " S 57 E. 23 " "  
80.00 Set a post for the cor. of Dec 17. 18. 19 1880 from which,  
N Oak 9 in diam: bears S 13 E. 7 yards west; 0,  
N Oak 9 " " " N 37 W. 42 " "  
Land good for wheat; Timber Oak, & Wheat.

East. On the new line between Dec 17 1880. I. N<sup>o</sup> 14 N. R. 977  
40.00 Set a temporary 1/4 section post  
80.70 Enter at the N 13 line 54 miles South of the post cor of  
Dec 16. 17 20 1881  
Land good and good for farming; Timber Oak, Hardy  
Oak & some walnut,

West On the new line between Dec 17 1880 I. N<sup>o</sup> 14 N. R. 977.



40.35	Set the trap 1/4 suppost at the ar arch. on the true line from which, Neuk 12 in air beam. N 37 N. 18 the arch; tag Oak. 10 " " " 31 N. 16 " "
80.35	Set the post cr. of ear 17, 18, 19 & 20
West	Between Jan 18 & 19 J. 14. N.R. 977.
18.50	To a Brook. 20 units mid, beam J.
40.00	Set a 1/4 suppost from which, Oak. 12 in air beam. 22 E. 23 units arch; tag, Neuk 12 " " " N 97 N. 30 " "
14.19	Intersect the N 13 line or that Borne 17 1/2 units South of the post cr. of ear 13 & 24 J. 14 N.R. 16 N and set a " " " " 18 & 19 from which Neuk 12 in air beam. N 58 N. 3 units mid; tag Lo. 14 " " " 46 E. 50 " " Oak hand 2 <sup>nd</sup> rate;
North	Between Jan 17 & 18 J. 14. N.R. 977.
31.00	To a Brook. 8 units mid, beam J.
40.00	Set a 1/4 suppost from which, Engan. 9 in air beam. 34 N. 15 units arch; tag, Lo. 12 " " " N 40 E. 44 " "
80.00	Set a post for the cr of ear 7, 8, 17 & 18 from which, Engan. 14 in air beam. 36 E. 47 units arch; tag, Engan. 14 " " " N 35 N. 37 " " Sound same.
East	On the true line between Jan 8 & 17 J. 14. N.R. 977.
40.00	Set a trap 1/4 suppost
80.56.	Intersect the N 13 line 25 units South of the post cr. of Ear. 8, 9, 16 & 17 J Sound same.
West	On the true line between Jan 8 & 17 J. 14. N.R. 977.
40.28	Set the trap 1/4 suppost at the ar arch on the true line from which, Engan. 12 in air beam. N 43 N. 30 the arch;

# I No 14 N R No 77 Quad. Min Ind: 289

80.56. and g. Beach. 18 in air beam. S41 E. 64 the arch,  
To the post on of l. 7. 8. 17. 18.

West Between Sec 7. 18 I 14. N R 9 W  
40.00 Set a p. expect form whith,  
New 18 in air beam. N13 E. 28 units arch; to  
Sagon. 10 " " S21 E. 59 " "  
45.00 To a Brook. 6 units mid, corner S.  
59.50 " " Do. 20 " " " "  
75.00 Subcut the West Bound 154 units South of the post  
on of l. 12 13 I 14. N R. 90 W and set a post  
" " " 7 18 form whith,  
N Oak. 20 in air beam. N41 W 19 units arch; to  
W Oak. 36 " " " S46 E. 48 " "  
Sand same.

North Between Sec 7. 18 I 14. N R. 9 W  
40.00 Set a p. expect form whith,  
W Oak. 12 in air beam. S13 E. 34 units arch; to  
S Oak. 24 " " " N41 E. 14 " "  
65.50 To a Brook. 8 units mid, corner N.E.  
80.00 Set a post for the cor. of l. 5. 6. 7. 18 form whith,  
W Oak. 8 in air beam. S5 E. 14 units arch; to  
Sagon. 9 " " " N75 W 34 " "  
Sand same.

East On a Random line between Sec 5 18 I 14. N R. 9 W.  
4.00 To a Brook. 6 units mid, corner N.E.  
40.00 Set a temp. 7 p. expect.  
48.00 To a Brook. 15 units mid, corner S.E.  
80.50 Subcut the N13 line 5 units South of the post on of  
Sec. 4 5. 8 9  
Sand similar

West On the line between Sec 5 18 I 14. N R. 9 W  
40.25 Set the temp. 7 p. expect at the cor. dish on the line

from which Beach. 14 in dist. from. S 65 E. 26 1/2 m. dist.  
 under Do. 08 4 4 4 N 56 W. 54 4  
 80.50 To the post cor. of sec. 5, 6, 7 & 8.

West Return Jul 6 & 7. T. 14. N. 97.  
 40.00 Set a 1/4 post from which  
 N Oak. 20 in dist. from. N 83 E. 35 m. dist. from  
 Beach. 20 4 4 4 N 75 W. 55  
 79.27 Set out the West Bound 75 m. South of the post cor.  
 of sec. 1 & 2. T. 14. N. 10 W. and set a post for the cor. of  
 " " 6 & 7 from which  
 N Oak. 30 in dist. from. N 45 E. 45 m. dist. from  
 Sugar. 8 4 4 4 S 4 W. 25 4  
 Sand bar.

North Return Jul 5 & 6. T. 14. N. 97.  
 31.50 To a Brook. 10 m. dist. from. S 60 E.  
 40.00 Set a 1/4 post from which  
 N Oak. 10 in dist. from. S 39 W. 3 m. dist. from  
 Sugar. 10 4 4 4 N 66 E. 30 4  
 80.14 Set out the N. Bound 69 m. West of the post cor.  
 of sec. 31 & 32. T. 15. N. 9 W. and set a post for the  
 cor. of sec. 5 & 6. from which  
 N Oak. 14 in dist. from. S 39 E. 23 m. dist. from  
 Sugar. 8 4 4 4 S 68 W. 53 4  
 Sand broken & 2nd. rate Timber Sugar.

Meanders of the Right Bank of the Nabash,  
 Riv. Commencing in the South Bound 1 of sec.  
 35. Thence up stream in sec. 35.

N 7 E 10.61  
 N E 13.62  
 N 10 E 12.52  
 N 2 W 7.04  
 N 14 W 4.10  
 N 18 W 6.59

In sec 35.

291

S. N. 14 N. R. N. 9 N. D. and M. Ind.

N24 N 10.56.  
 N18 N 6.57  
 N26 N 9.02  
 N29 N 1.72 To the first cor of ear 26 135. *Wm*

N20 N 5.72  
 N27 N 20.30  
 N23 N 23.61 *In ear 26 127*  
 N18 N 27.06  
 N5 N 4.92  
 West. 0.18 To the cor of ear 22 127. S. 14 N 9 N

*Commenced at the cor of ear 22 127. Wm up stream*  
 N8 N 2.29 *in ear 22,*  
 N2 E. 24.09  
 N6 E. 13.74  
 N12 N 5.34  
 N16 N 20.20  
 N20 N 2.03  
 N18 N 12.20  
 N9 N 2.00 To the cor of ear 15 122

N10 N 14.03  
 N2 E. 8.29  
 N6 E. 18.02  
 N24 E. 7.35  
 N34 E. 10.23 *In ear 15,*  
 N39 E. 17.41  
 N33 E. 5.79  
 N2 E. 6.54 To the first cor of ear 10 115.

*Lower end of Island.*  
 N11 N 4.98  
 N13 N 8.00  
 N5 E. 5.40  
 N28 E. 16.42 *In ear 10*  
 N5 E. 5.88



N 6 W.	6.48	
N 2 W.	11.64	
N 4 E.	14.08	
N 16 E.	4.28	In cu. 10.
N 11 E.	4.70	
N 3 E.	0.84	To the post on of cu. 2, 3, 10 & 11

N 22 E.	57.00	At 47.50 Mouth of a creek. 30 <sup>th</sup> m. n. s.
		At 50.00 400 W. to the River to the Right
N 10 E.	10.19	
N 17 W.	10.60	
N 7 E.	4.86	
N 2 W.	3.26	To the Town line N. B. Road of cu. 2.

Meanders of the Left Bank of the Wabash River  
Commenced at the corner of cu. 22 & 27. Thence down  
Stream

N 16 E.	13.90	
S 31 E.	4.88	In cu. 27.
S 15 E.	5.27	
South	2.24	To the post on of cu. 26 & 27.

S 18 E.	14.78	
S 28 E.	33.06	In cu. 26.
S 25 E.	11.59	
S 8 1/2 E.	2.61	To the cu. of cu. 26 & 35.

S 27 E.	7.69	
S 23 E.	11.79	
S 15 E.	15.89	
S 17 W.	4.58	In cu. 35.
S 6 1/2 W.	18.26	
South	9.30	
S 4 W.	11.37	
S 7 1/4	4.50	To the South Boundary of Township Sec. 35

I N<sup>o</sup> 14. N R. N<sup>o</sup> 97 Quad (Mn) Ind: 293

Commenced at the post on of ew 22 & 27. Thru up stream  
in eu. 22

N5 W. 9.00

N4 E. 12.50

N8 E. 4.50

N12 E. 4.65.

In eu. 22

N3 E. 6.25.

N5 W. 4.00

N10 1/2 W 5.00

N17 W. 31.50

N14 W. 5.22 To the post on of ew 15 & 22

N6 W. 4.03

N9 W. 10.50

N3 W. 11.66.

N12 E. 6.10

N29 E. 18.00

In eu. 15.

N40 E. 15.50

N29 E. 4.50

N with 0.92 To the post on of ew 14 & 15.

N29 E. 5.00

N23 E. 5.59

In eu. 11.

N18 E. 5.23. 10.23.

N22 E. 2.00 To the post on of eu. 11 & 14.

N19 E. 5.00

N15 E. 7.76.

N7 E. 12.00

N1 W. 12.70

N9 W. 22.50

N7 E. 18.50

N17 1/2 E. 3.70 To the post on of eu. 2 & 11.

Commenced in the N Broom of eu. 2. 114 & 119 W  
thru down stream on the Left Dr.

294

S. N. 14. N. 9. 7. 2nd Mer. Ind.

S 37 N. 14.35.

S 3 N. 5.80

S 19 E. 14.36.

S 15 N. 20.47

In cu. 2.

S 22 N. 14.58

S 26 N. 14.59

S 12 N. 2.66. To the cu. of cu. 2 + 11

Surveyed by  
William Harris Esq.

I certify that the foregoing Transcript of the field  
notes of Township N. 14. South of Range N. 9. West  
of the 2nd Meridian, Indiana has been compared  
with the original notes in the Office and found to be  
correct

Surveyor General's Office,  
Cincinnati, August 31 1841

*W. H. Harris*  
S. General.